From the experimental results obtained in this study, it can be concluded that both HNT and MWCNT nanotubes are effective additives in increasing the impact properties of fibre reinforced MMA resins without sacrificing other properties such as strength and modulus.

References

1. Lee S. M., Lim T. S., Lee D. G. Damage tolerance of composite toecap. Composite Structures, 2005, 67, p. 167-174.
2. Lee D. G., Lim T. S., Cheon S. S. Impact energy absorption characteristics of composite structures. Composite Structures, 2000, 50, p. 381-90.

**Ref no:** 495 **Abstract:** 0308

***Session 07:*** *Composite materials*

## RAMAN SPECTRAL ANALYSIS OF ORGANOMETALLIC COMPOSITE FILM SYNTHESIZED BY ELECTROCHEMICAL ROUTE

**Vijay Kumar[1], Yasir Ali[1], R G Sonkawade[2], A S Dhaliwal[1]**

*[1]Department of Physics, Sant Longowal Institute of Engineering and Technology, Longowal District Sangrur-148106, Punjab, India*

*[2]School of Physical Sciences, Babasaheb Bhimrao Ambedkar University (A Central University), Lucknow-226025, India*

We present the fabrication and characterization of Au-polyaniline (Au-PANI) composite film using electrochemical synthesis. The PANI film is prepared by chronopotentiometery technique on platinum substrate and surface modification of PANI film by Au particles was carried out using cyclic voltammetery. Fourier transform infrared (FTIR), scanning electron microscopy (SEM), X-ray diffraction (XRD) and Raman spectroscopic techniques were used to establish the structure of the Au–PANI composite. FTIR spectra displayed main vibrational bands; including the characteristic peaks. SEM image of PANI shows rough and porous morphology whereas Au-PANI composite exhibit mesh type structure with uniform dispersion of Au-particles. XRD spectra revealed (1̄00) and (200) planes. It is observed that the Au-PANI composite showed enhanced Raman characteristics (due to SERS effect of Au particles) in comparison to PANI film. The analysis revealed that the Au-PANI composite can be used for highly sensitive and selective chemical and biological sensing application.

**Ref no:** 496 **Abstract:** 0321

***Session 07:*** *Composite materials*

## THE EFFECT OF PARTICLE SIZE OF TALC ON THE HOOP STRESS OF POLYPROPYLENE BLOK COPOLYMER PIPES

**Erkut Fındık[1], Şenol Şahin[2]**

*[1]Kocaeli University, Graduate School of Natural and Applied Science, 41380, Kocaeli, Turkey*

*[2]Kocaeli University, Department of Mechanical Engineering, 41380, Umuttepe, Kocaeli, Turkey*

In this study, the short-term hydrostatic internal pressure performance of the polypropylene bloc copolymer (PPB) / talc (TC) composite pipes are investigated according to the talc filler particle size. There have been many studies done about the talc filled thermoplastic composites so far. In these studies a significant similarity was observed in the methods used for defining the mechanical properties, whereas all the samples are manufactured by high pressurized injection molding or hot press methods. Therefore the methods can be defined like this; the samples are generally gets cold and take the molds shape. Based on the tensile tests, it is known that the stiffness of the thermoplastic composite is increased by the amount of TC filler or slightly increased by parallel to the decreasing particle size of TC. The pipe manufacturers are also demanded the pipes as stiff as possible that applied both underground and surface, both pressurized and non-pressurized applications. In today's applications, the single screw co-extruded multi-layer pipes are generally used for many purposes where stiffness is important. There are three-layered composite pipe applications that only the middle layer is composite material. But, there is no TC filled PPB composite pipe that is produced by single-screw extrusion method. So the hydrostatic internal pressure (biaxial tensile test) performance of PPB/TC composite pipes keeps the uncertainty. In this scope, the aim of this study is investigating the hydrostatic internal pressure behav-iors of PPB/TC composite pipes depends on the TC filler particle size. With this aim, the reason for this practice is manufacturing a new PPB /TC composite pipe stiffer than pure PPB pipe. To examine the effect of the filler particle size, two different TC materials, average particle size of 5,5 μm and 13 μm were used. The dia 63 mm pipes are manufactured with both these different TC materials as a ratio of 10% by using single screw extruder. The pipes are tested in hydrostatic internal pressure tester at 20oC water atmosphere. The experimental results show that the performance of the hyrostatic internal pressure of PPB/TC composite pipe are dependent on the particle size of TC. By decreasing TC filler particle size the hoop stress increased as a result. And also the damaged areas are macroscopically observed to presume the process of damage.

**Ref no:** 497 **Abstract:** 0392

***Session 07:*** *Composite materials*

## EFFECT OF GROUND COLEMANITE FILLER CONTENT ON THE TENSILE PROPERTIES OF HIGH DENSITY POLYETHYLENE/GROUND COLEMANITE COMPOSITES

**Şenol Şahin[1], Neşe Bahçeci[2]**

*[1]Kocaeli University, Department of Mechanical Engineering, 41380, Umuttepe, Kocaeli*

*[2]Kocaeli University, Graduate School of Natural and Applied Science, 41380, Umuttepe, Kocaeli*

That is why, in this study, effect of ground colemanite (GC) substance, whose sieve particle size is 45 μm and average particle size is 14.01 μm, on tensile properties of high density polyethylene (HDPE) used in pipe manufacture is studied. Pipe practitioners requested, that the stiffness of both pressurized and non-pressurized pipes, that are implemented overground and underground, need to be as higher as possible. The continuous strength ( life or time) values of materials are usually obtained as a result of long-term tests also after production. It's known that tensile strength of YYPE based material is decreased depending upon time after production. But changes in tensile properties of HDPE/GC composites after a long storage period which follows its production are still unclear. To have related results, the aim of this study

is to compare the tensile properties depending upon GC filler amount between pure HDPE and HDPE/GC composites which were stored at a place which have no daylight. Pure HDPE raw material, was filled with GC at different percentage rates (15, 20, 25 and 30) by weight in twin screw extrusion with constant extrusion parameters. Pure HDPE and HDPE/GC composite raw materials were pressed into multi-purpose test pieces by injection molding method under constant injection parameters. These multi-purpose test pieces were stored no-daylight conditions for 18 month and the uniaxial tensile test were applied in the multi-purpose test pieces. The experimental results show that the uniaxial tensile properties of HDPE/GC composite material depend on GC filler content. It was identified that the amount of GC filler was expanded the Young's Modul and the tensile break elongation of the pure HDPE material and was minimized yield stress, break stress and yield elongations. Also, It was identified that increase the Young's Modul and the break stress of the HDPE/CC composite materials with increasing the amount of GC filler content but yield stress and tensile elongations decrease.

**Ref no:** 498 **Abstract:** 0412

*Session 07: Composite materials*

## SYNTHESIS AND STUDY OF MIXED MATRIX MEMBRANES CONTAINING MULTIWALLED CARBON NANOTUBE SUPPORTED FE/AG NANOPARTICLES FOR WASTE WATER AND DRINKING WATER TREATMENT

Soraya P. Malinga, Sabelo D. Mhlanga, Bhekie B. Mamba

*University of Johannesburg, Department of Applied Chemistry, Doornfontein, Johannesburg, South Africa, 2028*

The depletion of clean water sources and increased levels of water pollutionhas emerged as one of the most critical problems facing society. (1,2) The World Health Organisation has reported that 1.1 billion people do not have access to drinking water.[2] Thus there is great need to develop more efficient and cost effective water treatment technologies to extract clean water from industrial effluent, brackish water and seawater.[1] Recently carbonnanotubes (CNTs) have attracted a great deal of interest due to their low cost, mechanical and thermal properties and improved contaminant removal. Surface modification of the CNTs has led the incorporation of these materials in polymeric materials including nanoporous polymers and membranes. They also serve as a good support for metal nanoparticles due to strong interactions that exist. Silver (Ag) nanoparticles on the other hand have been found to be effective in biofouling, whilst iron (Fe) nanoparticles are effective in the removal of heavy metals. Thus the primary objective of this study was to develop mixed matrix polysulfone/Fe-Ag/MWCNT membranes with improved contaminant removal and antifouling properties for use in industrial and drinking water treatment. This technology will also be applied beyond a bench scale set up to a real water treatment system.

**References**

1. Park S-J., Cheedrala R.K., Diallo M.S., Kim C., Kim In S., Goddard (III) W.A., Journal of Nanoparticle Research (2012) 14:884.
2. Pendergast MM., Hoek EMV. Energy and Environmental Science (2011) Doi: 10.1039/c0ee0054.

**Ref no:** 499 **Abstract:** 0527

*Session 07: Composite materials*

## SOLVOTHERMAL SYNTHESIS AND CHARACTERIZATION OF NANOPOROUS COMPOSITES GALLOPHOSPHATES-AMINOCID

Abdelkrim Mohammed Hasnaoui, Salima Bellatreche, Abdelkader Bengueddach

*Laboratoire de chimie des materiaux, Department Of chemistry, Oran University*

Following the extensive development of microporous aluminophosphate since their discovery in 1982 [1], research has gradually shifted towards the exploration of new families of microporous metallophosphate type materials[2]. The use of fluoride method in gallophosphates systems led to the synthesis of the LTA type gallophosphate (GaPO-LTA)[3]. This latter is structure related to the NaA aluminosilicate zeolite. Gallophosphate type LTA material has also been obtained in the presence of other structure directing agents and many solvents.



**Figure 1.** X-ray diffraction patterns of Lys-LTA sample 129 (a), Pro-LTA Sample 108 (b) and His-LTA Sample 109 (c). (*) unidentified phase patterns. Scanning electron micrographs of crystals of Pro-LTA sample 108(d).

It is reported here, the results of GaPO-LTA materials synthesis prepared solvothermally in the presence of lysine, proline and histidine aminoacid (not used before in gallophosphates systems) as structure directing agents and the discussion about the localization of these molecules into the framework. Indeed, in a quasi-non-aqueous medium, water/ethylene glycol and in the presence of both fluorine and several aminoacid (lysine, proline and histidine) gallophosphate type LTA have been obtained and characterized by X-ray powder diffraction, scanning electron microscopy, elemental and thermal analyses, 1H liquid NMR, and by 13C and 31P magic angle spinning MAS NMR spectroscopy. Such techniques allowed determining the nature of organic species occluded within the framework and discussing the localization possibility of each aminoacid in the structure. It has been also shown that arginine and glycine aminoacid hasn't any directing effect in such system, and sodium could have a templating role too when it was used with lysine aminoacid.

**References**

1. S.T. Wilson, B.M. Lok and E.M. Flanigen, US Pat. 4310440, 1982.
2. J. Patarin, J.L. Paillaud, H.Kessler, Handbook of Porous Solids, 5Eds.: F. Schüt, K.S.W. Sing, J. Weitkamp), Wiley-VCH Verlag Gmbh, Allemagne, 2002, 2, Chapter 4.2.3, 815.
3. A.SIMMEN, J. PATARIN and Ch.BAERLOCHER, in "Proceedings of the 9th International Zeolite Conference ", (R. von Ballmoos et coll., eds), Butteworth-Heinemann, Stoneham, vol.1, 1993,433.

CONTENTS

Committee ..... VI
Sponsors ..... VII
Scientific Program ..... VIII
Abstracts of Plenary Speakers ..... 1
Abstracts of Invited Speakers ..... 3
Oral Presentations ..... 15
Posters ..... 129
Biographies ..... 273
Author Index ..... 287

## 16TH SEPTEMBER, MONDAY

| | |
|---|---|
| 17:00 - 19:00 | **Registration** |
| 19:00 | **Welcome Cocktail** |

## 17TH SEPTEMBER, TUESDAY

| | Hall 1 | Hall 2 | Hall 3 | Hall 4 |
|---|---|---|---|---|
| 08:30 - 09:00 | **Opening Ceremony** | | | |
| 09:00 - 09:45 | Advanced Materials Laureate Opening Lecture: **ANTHONY P.F TURNER - Printed Bioelectronics (Hall 1)** | | | |
| | **Nanomaterials** | **Optical, Electrical, and Magnetic materials** | **Biometerials** | **Composite materials** |
| | Session Chair: **H. KOBAYASHI** | Session Chair: **S. İÇLİ** | Session Chair: **A.P.F. TURNER** | Session Chair: **L.C. CHEN** |
| 10:00-10:30 | Advanced Materials Medal Lecture: **A. TIWARI** (Sweden)<br>Inteligent nanosystems for biomedical devices | Invited Talk: **C. OW-YANG**<br>Solution-processed LiF for work function tuning in electrode bilayers | The Nano Award Lecture: **A. MERKOÇİ**<br>Tunning biosensor response by nanomaterials and signal transducing arquitectures | Invited Talk: **R. MUÑOZ-ESPÍ**<br>Colloidal Systems as Scaffolds in the Formation of Organic/Inorganic Hybrid Nanoparticles |
| 10:30-10:50 | Versatile preparation of hybrid nanoaggregates of superparamagnetic iron oxide nanoparticles based on poly(4-vinyl pyridine) block copolymers self-assembly: **Nuno Rocha** | New type of immune biosensor based on the cerium oxide ISFETs for the patulin control in foods: **Nickolaj F Starodub** | Bioactive Electroconductive Hydrogels for the Abio-Bio Interface: **Anthony Guiseppi Elie** | AML Medal Lecture: Effect of transition metal ion doping on morphology and properties of polyaniline: **Saroj K. Shukla** |
| 10:50-11:10 | Dielectric response, functionality and energy storage in barium titanate- epoxy resin nanocomposites: **Anastasios C. Patsidis** | Electrochemical Evaluation of Embryoid Bodies of Different Size Using LSI-based Amperometric Sensor: **Mustafa Şen** | Supramolecular derivatives of antioxidants: preparation and physicochemical characterization: **Mino R Caira** | Introduction of antibacterial function to Cu-Al-Ni shape memory alloy: **Canan Aksu Canbay** |
| 11:10-11:30 | **Coffee Break + Poster Session (Sessions: 1,3, 4, 5, 8)** | | | |
| 11:30-11:50 | Design and Synthesis of temperature-sensitive bio-hydrogel coated SiO2-Au nano core-shell for photo thermal therapy of cancer cells: **Sarah Majd Jabbari** | Static model for the component GaAs MESFET With High Pinchoff Voltage: **Chahrazed Kaddour** | Structural change of silk fibroin by wet-heating treatment: **Tomoko Hashimoto** | Composites of poly(l-lactide-co-ε-caprolactone) with plasma treated hydroxyapatite: **El Miloudi Khaled** |
| 11:50-12:10 | High Temperature Stabilization of Nanocrystalline Fe and Fe-base Alloys: **Hasan Kotan** | The first principles study on the ground state of Zirconia: LDA(GGA)+U method: **Yasemin Öztekin Çiftci** | Biosensors: Functions and Applications: **Morteza Azizollahi Aliabadi** | Improving mechanical and physical properties of microwave and conventionally sintered oxide reinforced PM 316L composites by decreasing powder particle sizes: **Onur Ertugrul** |
| 12:10-12:30 | Fine tuning gold nanoparticles monolayer for protein and cell surface recognition: **Zeynep Ekmekci** | Synthesis, electrical and thermal properties of Bi4V2-xNbx011 (x=0.0 and 0.10) ceramics: **Maheshwar Roy** | Adhesion of mussel foot proteins to the spin labeled surface: **Yaşar Akdoğan** | Analytical electron microscopy study of B4C-Al ceramic - metal composites produced by pressureless melt infiltration technique: **Pinar Kaya** |
| 12:30-14:00 | **Lunch Time + Poster Session (Sessions: 1,3, 4, 5, 8)** | | | |
| | Session Chair: **A. TIWARI**(Sweden) | Session Chair: **C. OW-YANG** | Session Chair: **A. MERKOÇİ** | Session Chair: **R.MUÑOZ-ESPÍ** |
| 14:00-14:30 | IAAM Medal Lecture: **A. TIWARI** (USA)<br>Oxides for Next Generation Spintronics | Invited Talk: **S. İÇLİ**<br>Organic Photoelectric Technologies in Energy Efficiency | AVI Award Lecture: **L. CHEN**<br>Supramolecular Macrocyclic Systems as Non-precious Catalysts for Fuel Cells: a Bio-inspired Approach | Invited Talk: **S. VALYUKH**<br>Photonic nanocomposites and their applications |
| 14:30-14:50 | DNA-directed silver nanoparticles on graphene oxide and its antibacterial properties against xanthomonas perforans: **İsmail Üçsoy** | Ab initio calculations of some physical properties of magnetic shape memory alloy: Ni2FeGa: **Cengiz Soykan** | Magnetic nanoparticles labeled stem cells: a theranostic approach towards cancer therapy: **Sanjeeb Kumar Sahoo** | A Numerical Study on Thermal Conductivity of Polymer Composites Reinforced with Conductive Fillers: **Ismail Hakki Tavman** |
| 14:50-15:10 | A novel method for the synthesis of nanocomposite (TiO2-Cu2O) and its application in degradation of surfactants from aqueous solution by sunlight: **Mohammad Hasan Entezari** | The electronic and magnetic properties of FeM (M=o, S, Se, Te) compounds in Rock-Solt structure: **Ahmad Mohammadi** | A Facile Approach for Controlled Synthesis of Curcumin-loaded Starch-maleate Nanoparticles: **Suh Cem Pang** | Lithium Niobate dispersed Silver Sulphate – A Composite Solid Electrolyte: **Shyamkant Wasudeorao Anwane** |
| 15:10-15:30 | High Stable Suspension of Magnetite Nanoparticles in Ethanol by Using Sono-Synthesized Nanomagnetite in Polyol Medium: **Tahereh Rohani Bastami** | Elastic and thermal properties of Sr1-xCaxCo03: **N K Gaur** | Label-free aptamer based electrochemical biosensors: A simple way to sensitive diagnosis of cancer cells: **Masoud A. Mehrgardi** | Fluorinated surfmers modified clays and their corresponding polystyrene nanocomposites: structure-properties relationship study: **Chahinez Benbayer** |
| 15:30-15:50 | **Coffee Break + Poster Session (Sessions: 1,3, 4, 5, 8)** | | | |
| | Session Chair: **H. ZAREIE** | Session Chair: **L. ÖZYÜZER** | Session Chair: **L. KOCK** | Session Chair: **S. VALYUKH** |
| 15:50-16:10 | Characterization of Nano-Scale Magnesium Borates Hydrothermally Synthesized from Na2B4O7.5H2O, MgCl2.6H2O and H3BO3 at 80°C: **Azmi Seyhun Kıpçak** | Current-voltage characteristics of ni/6h-sic schottky barrier: **Metin Özer** | The effect of CaNa2-EDTA on zinc, carbohydrate metabolism and glutamic oxalic, glutamic pyruvic aminotransferases (GOT, GPT) and alkaline phosphatase activities in experimental diabetes: **Zine Kechrid** | Structural performance of laminated fiber reinforced polymer composites manufactured by resin transfer molding and vacuum curing&debulking table: **Erdem Akay** |
| 16:10-16:30 | Ph-controlled degradable polyuretahne/silica hybrid nanocapsules: **Matthew Hood** | Electronic and magnetic properties of lithium doped lanthanum manganites: **Ahmed M Ahmed** | Cellular uptake of ceria nanoparticles: **Gülnihal Özek Yelken** | The effect of particle size of calcium carbonate on the fracture toughness of polypropylene blok copolymer: **Elif Gülşah Yıldız** |
| 16:30-16:50 | Ultrasonic wave propagation in hexagonal semiconductor nanocrystalline ZnO and BeO compounds: **Pramod Kumar Yadawa** | Exploration of the electro-optic behavior of GaP photodetector in a semiconductor gas discharge device: **Hatice Hilal Kurt** | The impact of process parameters on spray dried Hydroxyapatite-Gelatin composites: **Tuğba Başargan** | Effect of ceramic waste particle fillers in epoxy based resin composite for a composite tile application: **Saijit Daosukho** |
| 16:50-17:10 | Expandable Polyethylene Based Nanocomposite: **Ehsan Rezaei Zare** | Novel synthesis of oxides based phosphors for near UV LEDs lighting and display devices: **V. V. Shinde** | Stimuli responsive three-dimensional conducting electrospun fibrous scaffolds for regenerative medicine: **Yashpal Sharma** | Crack initiation and propagation of composite compact tension specimen using eXtended Finite Element Method: **Mohammed Yahya Abdellah** |
| 17:10-17:30 | **Coffee Break + Poster Session (Sessions: 1,3, 4, 5, 8)** | | | |
| 17:30-17:50 | Real and apparent strengths of nanomaterials: **Şule Celasun** | Efficient red emitting Mg6-xCaxBP5O20:0.05Eu3+ (0.025<= x <=0.1) phosphor under near-UV excitation: **Kartik N Shinde** | Smart Theragnosis:Multi Drug Resistance Cancer Perspective: **Hirak Kumar Patra** | The effect of matrix/reinforcement ratio on the physical and mechanical properties of cold pressed and pyrolyzed C/C composite material: **Enbiya Türedi** |
| 17:50-18:10 | Extraction of trace amounts copper(II)using octadecyl silica membrane disks modified isocyanate-treated GOs (iGOs): **Ali Moghimi** | | Evaluation of the surface properties of biomaterials coated with nanolayers: **Serap Gümüş** | Synthesis of zeolite X-carbon from coal bottom ash: **Nurul Widiastuti** |
| 18:10-18:30 | Extraction and Determination of Ni(II) by Histidine functionalized multi-walled carbon nanotubes adsorbed on surfactant coated C18: **Nima Yari** | | **18:10-18:40**<br>Invited Talk: **Y. Kumar MISHRA**<br>Fabrication of different nano-microstructures by flame transport synthesis: From electronic to biomedical applications | Reprocessing of fibre reinforced polyethylene composites, effects on mechanical properties: **Ahmet Ünal** |
| 18:30-18:50 | Reactive oxygen species (ROS) generation capacity of TiO2 nanocrystals: **Roghayeh Imani** | | | |
| 18:50-20:00 | **Poster Session (Sessions: 1,3, 4, 5, 8)** | | | |

| 16TH SEPTEMBER, MONDAY | |
|---|---|
| 17:00 - 19:00 | Registration |
| 19:00 | Welcome Cocktail |

| 17TH SEPTEMBER, TUESDAY | | | |
|---|---|---|---|
| | **Hall 5** | **Hall 6** | **Hall 7** |
| 08:30 - 09:00 | **Opening Ceremony** | | |
| 09:00 - 09:45 | Advanced Materials Laureate Opening Lecture: **ANTHONY P.F. TURNER - Printed Bioelectronics (Hall 1)** | | |
| | **Polymeric materials** | **Energy, Enviromental, and Green Materials** | **Structural and Constructural Materiasl** |
| | Session Chair: **Y. TAMADA** | Session Chair: **E. ÖZENSOY** | Session Chair: **M.A. GÜLGÜN** |
| 10:00-10:30 | Invited Talk: **D. CRESPY**<br>Design of nanocapsules for self-healing applications | Invited Talk: **El KHAKANI**<br>Pulsed KrF-Laser based Synthesis of Highly Photoactive Nanohybrid Structures | Invited Talk: **I. HALASZ**<br>Molecular aspects of micro- and nano-porous silicates |
| 10:30-10:50 | Polysiloxanes with conjugated aromatic moieties in their side chains - a potential new materials for OTFT and SAW sensors: **Tomasz Ganicz** | Ion-regulated Photoinduced Electron Transfer in BODIPY-BAPTA Fluorescent Switches: **Pınar Batat** | Homology identification of microstructual evaluation of 13Cr-2Ni-2Mo stainless steel quenched by induction heating: **Kazuaki Nakane** |
| 10:50-11:10 | Application of the liquid photopolymerizable membrnes at the creation of the enzymatic biosensors: **Nickolaj F Starodub** | Graphene Nanowall Supercapacitors with Ultra-high Performance: **Kuei Hsien Chen** | Effect of laser heat treatment by scanning laser on mechanical properties of ceramic coated steels: **Hirotaka Tanabe** |
| 11:10-11:30 | **Coffee Break + Poster Session (Sessions: 1,3, 4, 5, 8)** | | |
| 11:30-11:50 | Effect of compatibilizer on the mechanical properties of Polyethylene/Poly(ethylene terephthalate) blends:**Tugba Guven** | Study of carbon-hydrogen bond on the microstructure of ball-milled graphite: **Yinghe Zhang** | Experimental study for detection of ductile fracture in weldments: **Zaoui Moussa** |
| 11:50-12:10 | Novel superabsorbent hydrogel composite with non clay mineral aimed at water sustainability: **Judith Pessoa Andrade Feitosa** | Near infra red utilization in dye sensitized solar cells by incorporation of up-converting phosphor nanoparticles: **Atif Khan** | Molybdenum arc –sprayed coatings: model of splat solidification and micro-structure development: **Yamina Mebdoua** |
| 12:10-12:30 | Mechanical characterization of glass fiber reinforced polymer resin incorporating waste glass aggregate:<br>**Onur Üzüm** | Influence of deposition Process on the Bandgap and Electrical Properties of TiO2 Solar Cells: **Saad Kadhum Al Sabbagh** | Sintering and Microstructural Investigation of Gamma-Alpha Alumina Powders: **Emre Yalamaç** |
| 12:30-14:00 | **Lunch Time + Poster Session (Sessions: 1,3, 4, 5, 8)** | | |
| | Session Chair: **D. CRESPY** | Session Chair: **El KHAKANI** | Session Chair: **I. HALASZ** |
| 14:00-14:30 | Invited Talk: **K. MALLICK**<br>In situ polymerization and composite formation' (IPCF): An important route for the tailoring of advanced synthetic materials | Invited Talk: **E. OZENSOY**<br>Understanding Catalytic Materials at the Molecular Level: From Thermal Chemistry to Photochemistry | Invited Talk: **M.A. GÜLGÜN**<br>The Role of Interfaces in an Oxide-Skeleton Carbonate-Matrix Nanocomposite |
| 14:30-14:50 | Anton-Paar: Rheology for Advanced Materials: **Gizem Akay** | Controlled Pore Functionalization of Track-etched PVDF Membranes via RAFT Process to yield Functionalized Membrane Electrodes (FMEs): A Powerful Combination of Top-Down and Bottom-Up Processes: **Murat Barsbay** | Synthesis of zeolite-Y templated carbon by carbonization of sucrose as a precursor: **Nurul Widiastuti** |
| 14:50-15:10 | Elaboration of new uv powder coatings based on polyamide bio-sourced: **Majed Rejaibi** | The potential of Eco-Friendly Adsorbents from C. equisetifolia Plant Seeds For Dye Removal: **Mohamad Awang** | Abrasion Resistance of Reactive Powder Concrete: The Influence of Water-to-Cement Ratio and Steel Micro-Fibers: **Çağlar Yalçınkaya** |
| 15:10-15:30 | Enhanced antistatic durability for metal treated polyester via atmospheric plasma technique: **Merve Özlem Dobur** | Expression and Characterization of Rv0447c product is potentially the methyltransferase involved in tuberculostearic acid biosynthesis in Mycobacterium tuberculosis: **Laxman Singh Meena** | Creep Analysis of Linear Viscoelastic Thin Circular Plates By Finite Element Method: **Barış Tanrıverdi** |
| 15:30-15:50 | **Coffee Break + Poster Session (Sessions: 1,3, 4, 5, 8)** | | |
| | Session Chair: **F. TIHMINLIOGLU** | Session Chair: **O. EBİL** | Session Chair: **K. KIDA** |
| 15:50-16:10 | Investigation of bonding between PBT and PP via lap-shear test: **Aylin Bekem** | Removal of Nickel from aqueous solutions by activated carbon obtained from seawater algae: **Belhakem Mostefa** | Electrodeposition and characterization of Zn based double-layer coatings on steel surfaces for industrial applications: **Mustafa Toparli** |
| 16:10-16:30 | Development of nanocomposites based on polypyrrole and carbon nanotubes for supercapacitors: **Subhash Baburao Kondawar** | Photo-catalytic hydrogen production over iron containing aluminophosphates:**Hentit Hafida** | Effects of laser shock processing on wear properties of 6061-T6 alloy: **Simge Gencalp Irizalp** |
| 16:30-16:50 | Synthesis and influence of Ce3+ codopant on the luminescence sensitivity of pyrophosphate phosphor: **Ritesh L Kohale** | Contribution to thermodynamic and kinetic investigations of Pb2+ ions adsorption in the presence of competing Cd2+ ions onto acid-activated clay: **Boufatit Makhlouf** | Identifying mechanical features of concrete material using image processing technology: **Gamze Cankaya** |
| 16:50-17:10 | Exploring eb-induced reactive processing to develop novel thermoplastic elastomers: **Kinsuk Naskar** | Magnesium borate synthesis from boric acid sludges at different mole ratios by hydrothermal method: **Azmi Seyhun Kıpçak** | The Use of Electric Arc Spraying coatings Alternative to Hot Dipped and Cold galvanizing: **Nacer Eddine Bacha** |
| 17:10-17:30 | **Coffee Break + Poster Session (Sessions: 1,3, 4, 5, 8)** | | |
| 17:30-17:50 | Attaining prolonged antibacterial efficacy for plasma modified polyamide to obtain an advanced functional textile:<br>**Fatma Betül Demirel** | Radiation induced grafting onto pe/pp nonwoven fabrics for the preparation of atrazine imprinted polymers: **Meshude Akbulut** | Effect of Fe-rich intermetallics on the microstructure and mechanical properties of thixoformed A380 aluminum alloy:<br>**Simge Gencalp Irizalp** |
| 17:50-18:10 | Highly chlorine tolerant polymeric coatings for reverse osmosis membranes: **Levent Semiz** | Preparation and characterization of bio-pitch for carbon foam production: **Murat Kılıç** | The investigation of the effects of the hot forging process on the metallurgical and mechanical properties Of 41Cr4 tempered steel and 38MnVS6 microalloyed steel:**Yiğit Erçayhan** |
| 18:10-18:30 | Synthesis, microstructure and electrochemical properties of sputter deposited licoo2 thin films: **Obili Mahammad Hussain** | Synthesis of pillared acid-activated clay as a solid-acid catalyst for production of linear alkylbenzene: **Mohammad Hadi Mohammadi** | Growth kinetics of boride layer 316L steel: **Alae Kaouka** |
| 18:30-18:50 | Influence of photoinitiators and nanoparticles on hardening of UV-light cured coatings proved by nanoindentation techniques: **Atul Tiwari** | Vanadium-oxo-Sulphate and molybdenum hexa-carbonyl supported on silyl amine functionalized nano-boehmite as a green catalyst:**Mahdi Mirzaee** | The effects of pin geometry on the microstructure and mechanical properties of friction stir welded AZ31 joints: **Hadi Torkamani** |
| 18:50-20:00 | **Poster Session (Sessions: 1,3, 4, 5, 8)** | | |

## 18TH SEPTEMBER, WEDNESDAY

| | Hall 1 | Hall 2 | Hall 3 | Hall 4 |
|---|---|---|---|---|
| 09:00 - 09:45 | Advanced Materials Medal Lecture: HISATOSHI KOBAYASHI (Hall 1)<br>Nano fibrous materials for tissue engineering applications | | | |
| | **Nanomaterials** | **Optical,Electrical, and Magnetic materials** | **Biometerials** | **Composite materials** |
| | Session Chair: A.P.F. TURNER | Session Chair: E. ÜNALAN | Session Chair: A. TIWARI (Sweden) | Session Chair: F. TIHMINLIOGLU |
| 10:00-10:30 | Invited Talk: S. ÖZÇELİK<br>Chemistry and exciton dynamics of the quantum nanoalloys | Invited Talk: L. ÖZYÜZER<br>Emission of the THz Waves from layered superconductors by the Injection of Spin Polarized Current | IAAM Medal Lecture: L. KOCK<br>The application of novel nanotechnologies to image biomaterials | Invited Talk: O. AKBULUT<br>Utilization of Multiphase Systems (MuPSs) in Separation of Objects |
| 10:30-10:50 | Nano-structured silicon as perspective transducer for the immune biosensors: Nickolaj F Starodub | [R1] Half-metallic ferromagnetism in (SrTiO3)n/(LaMnO3)m superlattices: Fabrizio Cossu | Thin Organic Film based Biosensors for Membrane Associated Toxin Detection: Umit Hakan Yildiz | Transparent zirconia/acrylic nanocomposite: Anthony Shiaw Tseh |
| 10:50-11:10 | Morphology and Surface Engineering as a Tool for Enhancing Cellular Internalization of Nanoparticles: Didem Sen Karaman | Formation kinetics, morphology and magnetic properties of BaHF ceramics synthesized in x wt%NaCl- (100-x) wt% KCl molten salts: Seray Kaya | | Physical, optical and mechanical characterization of organic/inorganic hybrid nanocomposite:Baki Hazer |
| 11:10-11:30 | **Coffee Break + Poster Session (Sessions: 2, 6, 7, 9, 10)** | | | |
| 11:30-11:50 | Ceria/Polymer Hybrid Nanoparticles as Catalysts for Organic Reactions: Margherita Mari | Interplay between superconductivity and magnetism in '122' type iron-based superconductors: Sevda Avci | IAAM Medal Lecture: Cell mobility on silk fibroin film -Influence of fibroin primary sequence: Yasushi Tamada | Injection parameters optimization for tensile properties of calcium carbonate filled polypropylene homopolymer composite material via experimental design: Yıldız Yuluğkural |
| 11:50-12:10 | TiO2-nanoparticles modified with cetyl trimethyl ammonium bromide as solid sorbent for preconcentration of Parathion prior to determination by gas chromatography: Naser Dalali | Influence of solution pH on the production of Cerium-Substituted Yttrium Iron Garnet ceramic fabricated by using sol-gel process: Ismail Yariçi | Nano-structural control of β-type titanium alloys through severe plastic: Hakan Yılmazer | Thermal and frequency dependence dielectric properties of conducting polymer / fly ash composites: Subhash Baburao Kondawar |
| 12:10-12:30 | Graphene/poly cyclic butylene terephtalate nanocomposites: morphology, thermal and dielectric response: Georgios C. Psarras | Nanocrystalline nickel ferrite reinforced conducting polyaniline nanocomposites: Subhash Baburao Kondawar | Thermoresponsive Nanofilms: Mohammed Yaseen | Metal-Phthalocyanine functionalized carbon nanotube as sensor for chloroform vapor: Swasti Saxena |
| 12:30-14:00 | **Lunch Time + Poster Session (Sessions: 2, 6, 7, 9, 10)** | | | |
| | Session Chair: S. ÖZÇELİK | Session Chair: L. ÖZYÜZER | Session Chair: Ü. H. YILDIZ | Session Chair: Ö. AKBULUT |
| 14:00-14:30 | Invited Talk: H. ZAREIE<br>Nanostructures for plasmonic biosensors | Invited Talk: E. ÜNALAN<br>Silver Nanowire Networks | The Nano Award Lecture: J. PIERRE AIME<br>Bioinspired Nanotechnology & High Speed AFM Instrumentation | Invited Talk: O. EBİL<br>Shape Stabilized Composite Zinc Anode for Secondary Batteries |
| 14:30-14:50 | Computational Study of Physicochemical Characteristics of Novel Nano Structures of Mitoxantrone Anti-Cancer with Fullerenes in Photo Electron Transfer Process: Behnoud Hormozi | First principles studies on the pressure dependence of chalcopyrite semiconductor ZnSiP2: Irem Öner | Biomaterial functionalization by single step peptide immobilization via Tyr oxidation: Sachiro Kakinoki | Effect of Ni/NiO particles on structure and crack propagation in zirconia based composites: Igor Danilenko |
| 14:50-15:10 | Removal of methylene blue, a basic dye, from aqueous solutions uing nano zero- valent iron (NZVI): Simin Arabi | Electrical And Microstructural Properties Of (Cu, Al, In)-Doped SnO2 Films Deposited By Spray Pyrolysis: Sibel Gürakar | Temperature-gated switchable bioelectrocatalytic interface: Onur Parlak | Optimization of wear resistance of Polyurethane Nano-Composite Coatings by using Artificial Neural Network(ANN) and Genetic Algorithm(GA): Ali Haghighat Mesbahi |
| 15:10-15:30 | A hybrid functional study of the LaAlO3/SrTiO3 interface: Fabrizio Cossu | Synthesis and influence of Ce3+ codopant on the luminescence sensitivity of pyrophosphate phosphor: Ritesh L Kohale | SPION-based theranosis of Arterial Thrombosis: Suryyani Deb | |
| 15:30-15:50 | **Coffee Break + Poster Session (Sessions: 2, 6, 7, 9, 10)** | | | |
| | Session Chair: T. SENGER | Session Chair: S. İÇLİ | Session Chair: H. KOBAYASHI | Session Chair: B. HAZER |
| 15:50-16:10 | Zirconia core/oligoperoxide shell nanocomposite: aspect of structure: Oksana Gorban | A soft chemical method for fabricating recyclable sers substrate with a zno/ag photocatalyst/sers system: Ahmad Esmaielzadeh Kandjani | Ultrasonic Characterization of aqueous Polyvinyl Pyrrolidone (PVP): Omprakash P Chimankar | Preparation and characterization of bioactive film for edible coating and packaging applications: Ipek Erdogan |
| 16:10-16:30 | Nonisothermal crystallization kinetics of Poly(Butylene Terephthalate)/Multiwalled Carbon Nanotubes Nanocomposites:Milind Janardan Kulkarni | Synthesis and optical studies of Dy3+ doped LiAlSi3O8 phosphors: Mrunal D Deshpande | PEO/Fe304 Scaffold Production with Electrospinning: Mert Osman Duman | The tensile properties of the calcium carbonate filled high density polyethylene composite pipes in accordance with ISO 6259-1: Hande Akten |
| 16:30-16:50 | Preparation and characterization of ceria nanopowders by various precipitation techniques: Gülnihal Özek Yelken | Preparation and Characterization of ITO-metal-ITO Multilayer Thin Films Deposited by DC Magnetron Sputtering: Turgay Çoruhlu | Improvement of stability and activity of immobilized glucose oxidase on modified magnetite nanoparticles: Abdol Khalegh Bordbar | Chemical vapor sensing properties of electrospun nanofibers of polyaniline / ZnO nanocomposites: Subhash Baburao Kondawar |
| 16:50-17:10 | Synthesis and structural properties of mesoporous TiO2 photocatalyts by using microwave calcination: Şafak Toygun | Theoretical investigation of triscarbazole derivatives as host materials for blue electrophosphorescence: Seyhan Salman | Characterization of sandblasted and acid etched titanium surfaces for dental implants: Büşra Balli | A novel electrochemical sensor based on graphene nanosheets and carbon nanospheres/chitosan nanocomposite modified glassy carbon electrode: Masoumeh Ghalkhani |
| 17:10-17:30 | **Break + Poster Session (Sessions: 2, 6, 7, 9, 10)** | | | |
| 17:30-17:50 | Building a bridge between solution –solid state chemistry: Taimur Athar | Room temperature sputtering of ZnO thin films under gas flow variation for photovoltaic application: Nilufer Evcimen Duygulu | **17:30-18:00**<br>Invited Talk: M. ÖZSÖZ<br>Nanomaterials in electrochemical DNA biosensors | Contemporary challenges and opportunities of carbon nanotubes reinforced ceramics nanocomposites: Iftikhar Ahmad |
| 17:50-18:10 | Air stable copper nanoparticles for fast reductive degradation of organic dyes in aqueous medium: Razium Ali Soomro | Photophhysical properties and QDLED applications of yellow emitting conjugated polymer:CuInS2/ZnS QD nanoparticles: Nuriye Demir | **18:00-18:20**<br>Artificial Cell Membranes for Drug Screening: Ahu Arslan Yildiz | Alumina-Boron Carbide-Aluminum Composites: Ayse Kalemtas |
| 18:10-18:30 | Noninteracting Fermi gas in rotating harmonic trap. Exact one–particle density distribution in Fourier space: Bencheikh Kamel | Cadmium Free Window Layer for Thin Film Solar Cell Applications: Material Properties and In-situ Doping: Erkan Aydın | | Conductive polymer composites and coated metals as alternative bipolar plate materials for all-vanadium redox-flow batteries: Burak Çağlar |
| 18:30-18:50 | Crystallization Process and Microhardness Evolution in as-spun (Al85Co7Y8)98Si2 amorphous alloy: Baris Avar | | | Synthesis and characterization of cellulose acetate zirconium (IV) phosphate nanocomposite ion exchange capacity: Deepak Pathania |
| 19:00-19:45 | TÜBİTAK Ulusal Akademik Ar-Ge Proje Destekleri: Mehmet Ufuk ATAY (Hall 1) | | | |
| 19:00-20:00 | Poster Session (2, 6, 7, 9, 10) | | | |
| 20:30-23:30 | **Gala Dinner** | | | |

## 18th SEPTEMBER, WEDNESDAY

| | Hall 5 | Hall 6 | Hall 7 |
|---|---|---|---|
| 09:00 - 09:45 | Advanced Materials Medal Lecture: **HISATOSHI KOBAYASHI (Hall 1)**<br>Nano fibrous materials for tissue engineering applications | | |
| | **Polymeric materials** | **Energy, Enviromental, and Green Materials** | **Structural and Constructural Materiasl** |
| | Session Chair: **V. BULMUS** | Session Chair: **D. KARABELLİ** | Session Chair: **I. HALASZ** |
| 10:00-10:30 | Invited Talk: **F. ALEMDAROĞLU**<br>Fluoropolymers: versatile polymers through strong bonding | Invited Talk: **A. KELARAKIS**<br>Functional Nanomaterials for Energy and Sustainability | IAAM Medal Lecture: **K. KIDA**<br>Changes in three-dimensional magnetic fields of tool steel (JIS-SKS93) around plastic deformation area due to Vicker's indentations |
| 10:30-10:50 | Interconnected polypyrrole-polyaniline nanofibers: synthesis, characterization and applications for water treatment: **Madhumita Bhaumik** | Porous polyurea: a simple pathway to its synthesis and its application as a novel absorbent for dye removal: **Xiang Zheng Kong** | Effect of reciprocation motion on retained austenite using SAE 52100 steel bars: **Koshiro Mizobe** |
| 10:50-11:10 | Synthesis and characterization of nanofibers of conducting polyaniline and its substitute derivatives: **Subhash Baburao Kondawar** | Evaluation of the effectiveness of the retention of a pollutant by several depollution methods (using clayey material, complexing organic compound, and phytoremediation): **Amel Nasri** | Synthesis of silicon carbide and/or silicon nitride from biomass husk through thermoanalytical studies: **Muhammad Ali** |
| 11:10-11:30 | **Coffee Break + Poster Session (Sessions: 2, 6, 7, 9, 10)** | | |
| 11:30-11:50 | Synthesis of Polyurethane Based Macroinitiator with Fluorescent Properties through ATRP: **Dhanraj T Masram** | Phase structure and optical properties of rare earth doped tio2powders: **Hüsnü Arda Yurtsever** | Theory functional calculations (DFT), natural bond orbital, structural properties, and frequency for the two perfluoroalcohols: C4F9OH and C6F5OH: **Shahriar Ghamami** |
| 11:50-12:10 | Production of biodegradable PLA/TPU-talc composites: **Şebnem Kemaloğlu Doğan** | Remediation of heavy metals contaminated waters using multicomponent nanoparticles: **Luis Cumbal** | Parametric study of RC beams strengthen with GFRP laminates using ANSYS: **Tarak Prafulkumar Vora** |
| 12:10-12:30 | High density Polyethylene/Zinc oxide nanocomposites for ultra violet radiation shielding: **Ahmed Abou Kandil** | Green material on a building: Vertical garden: **Filiz Çetinkaya Karafakı** | Electrochemical sensing platform based on sol-gel/phenothiazine/ enzyme composite films: **Alina N. Sekretaryova** |
| 12:30-14:00 | **Lunch Time + Poster Session (Sessions: 2, 6, 7, 9, 10)** | | |
| | Session Chair: **F. ALEMDAROGLU** | Session Chair: **A. KELARAKIS** | Session Chair: **S. AKKURT** |
| 14:00-14:30 | Invited Talk: **V. BULMUS**<br>Raft-synthesized biohybrid polymers and nanostructures as functional building blocks for bioapplications | Invited Talk: **D. KARABELLİ**<br>Next generation high energy battery systems- electrode materials | Invited Talk: **A. MAKAT**<br>WDS: where EDS hits the limits |
| 14:30-14:50 | Artifical Neural Network Approach for Determination of Polymers' Mechanical Properties: **Fatma Kosovalı Çavuş** | Preparation and Thermal Properties of form-stable disodium hydrogen phosphate-myristic acid /zinc oxide composites as phase change materials for thermal energy storage: **Zuhal Karagöz** | BObservation of fisheye cracks around TiN and Al2O3 inclusions in repeatedly quenched high carbon bearing steel via homology: **Kazuaki Nakane** |
| 14:50-15:10 | Synthesis,SEM, and XRD studies of thin films of Pol(vinyl alcohol)-silica: **Mohammad Saleem Khan** | Synthesis, microstructure and electrochemical properties of sputter deposited licoo2 thin films: **Obili Mahammad Hussain** | Synthesis of electroconductive membrane using poly(hydroxymethyl-3,4-ethylenedioxythiopheneco-tetremethylene-Nhydroxyethyl adipamide): **Hamidreza Barghi** |
| 15:10-15:30 | Electroresponsive behavior and dielectric characterization of sodium alginate-poly(acrylic acid) semi-ipn gel films: **Gülten Gürdağ** | Reaction kinetics for embedded enzymatic degradation of polycaprolactone films: **Erhan Ozsagiroglu** | Synthesis and Characterization of copolymers containing amino acid: Tensile stress- strain behavior and Dynamic mechanic properties: **Birten Çakmalı** |
| 15:30-15:50 | **Coffee Break + Poster Session (Sessions: 2, 6, 7, 9, 10)** | | |
| | Session Chair: **O. EBİL** | Session Chair:**I. HALASZ** | |
| 15:50-16:10 | Fabrication and volatile organic vapor sensing properties of pyrene-labelled polystyrene thin film surfaces: **Zikriye Özbek** | Well-ordered fibrils of crystalline from waste materials as a coagulant with high potential to remove Azo dyes: **Dina Morshedi** | |
| 16:10-16:30 | The effect of ground colemanite on the fracture toughness of polypropylene homo polymer: **Tülin Şahin** | Recycling of investment casting ceramic molds in production of gas turbine blades: **Mohammad Naseri** | |
| 16:30-16:50 | Study of Electrical Properties of ( PVA-BaSO4.5H2O) Composites: **Khalid Hussain Hatif Al Attiyah** | Removal of reactive black 5 from aqueous solutions by nano-tio2 immobilized on activated carbon: **H.Belayachi** | |
| 16:50-17:10 | Acrylic and cinamic acids as wax crystal modivires: **Ali Mohamed El Soll** | | |
| 17:10-17:30 | **Break + Poster Session (Sessions: 2, 6, 7, 9, 10)** | | |
| 17:30-17:50 | Polymerization of Catechol and Its Derivations by Cationic Porphyrin Catalyst: **Zahra Zamiraei** | | |
| 17:50-18:10 | The Effect Of Particle Size Of Calsium Carbonate On The Hoop-Stress Of High Density Polyethylene Pipes: **Levent Sözen** | | |
| 18:10-18:30 | Isothermal Degradation Kinetics of Poly(Hydroxybutyrate) and Poly(Hydroxybutyrate-co-Hydroxyvalerate) Nanocomposite Films: **Okan Akin** | | |
| 18:30-18:50 | Evaluation of the physical and mechanical properties of rubber compounds reinforced with carbon fiber: **Şeyda Polat** | | |
| 19:00-19:45 | TÜBİTAK Ulusal Akademik Ar-Ge Proje Destekleri: **Mehmet Ufuk Atay (Hall 1)** | | |
| 19:00-20:00 | Poster Session (2, 6, 7, 9, 10) | | |
| 20:30-23:30 | **Gala Dinner** | | |

| 19TH SEPTEMBER, THURSDAY | | | | |
|---|---|---|---|---|
| | **Hall 1** | **Hall 2** | **Hall 3** | **Hall 4** |
| 09:00 - 09:45 | Plenary Talk: **N. SERDAR SARIÇİFTÇİ (Hall 1)** | | | |
| | **Nanomaterials-1** | **Nanomaterials-2** | **Biomaterials** | **Composite materials-1** |
| | Session Chair: M. ÖZSÖZ | Session Chair: **L.C. CHEN** | Session Chair: **A.P.F. TURNER** | Session Chair: **F. TIHMINLIOĞLU** |
| 10:00-10:20 | Influence of disorder on thermal transport properties of low-dimensional nanomaterials: **Cem Sevik** | Ageing of polyvinylbutyral solutions with impact on spinnability: **Martin Stenicka** | Production and characterization of silica reinforced chitosan composites for orthopedic biomaterial applications: **Sedef** Tamburaci | TMPTA-loaded PU-Based microcapsules show spontaneous polymerization under UV-Radiation: **Zoya Tuiebakhova** |
| 10:20-10:40 | Anionic Zeolite-like MOFs for porpane/propylene separation: **Baris Demir** | Stability and release behavior of drug loaded nanoemulsions: **Açelya Çalışkan** | Encapsulation of trans-resveratrol using electrospray method for enhanced stability: **Ceren Sunguc** | Epoxy composites with adjustable colors: **Khodzhaberdi Allaberdiev** |
| 10:40-11:00 | A production method for nanosilica-MMA polymer composite marble: **Samah A Abdulaziz** | Super-Hydrophobic activated carbon containing silica aerogel: **Jafarsadegh Moghaddas** | An enzyme catalyzed injectable hydrogel based on tyramine conjugated tragacanth and gelation: **Moslem Tavakol** | Efficient aligned luminescent electrospun composite nanofibers of europium complex Eu(TTA)3phen and polyethylene oxide: **Subhash Baburao Kondawar** |
| 11:00-11:20 | **Coffee Break** | | | |
| 11:20-11:40 | Comparative study of the encapsulation of alendronate sodium by the nanoprecipitation and the double emulsion solvent evaporation technique: **Karim Miladi** | Sol-gel polymerization of silica nanoporous gel: rheological study: **Fatemeh Pashaei Soorbaghi** | A novel approach for anti-platelet drug designing: The modulation of nano-surface: **Suryyani Deb** | Properties of Sized Carbon Fiber Reinforced Poly(Butylene Terephthalate) Composites: **Nevin Gamze Karsli Yilmaz** |
| 11:40-12:00 | Radiation Induced Synthesis Of In2O3 Nanoparticles by Thermal Decomposition and by Sol-Gel Methods: **Refaat Mohamed Mahfouz** | Tungsten Oxide Nanocrystalls and NOX Sensing Properties: **Mohammad Izadyar** | Synthesis and investigation of novel chitosan and nano-hydroxyapatite based scaffolds for bone tissue engineering: **Mehmet Şenel** | Optical Properties of PVA:CdCl2. H2O Polymer Electrolytes: **Omed Ghareb Abdullah** |
| 12:00-12:20 | Analysis of the fluid flow and material deformation in bulk acoustic wave piezoelectric micropumps: **Ersin Sayar** | Mechanical properties of several polymer (nano) composite packaging films: **Zuzana Dujkova** | Effect of annealing temperature on microstructure and surface properties of titanium oxide (TiO2) nanotubes for biomedical applications: Abdurrahman **Halis Güzelaydin** | Hollow fiber solid phase microextraction assisted by modified nanoparticles:An approach to rational microextraction design: **Zarrin Eshaghi** |
| 12:20-14:00 | **Lunch Time** | | | |
| 14:00-14:45 | Plenary Talk: **TAHİR ÇAĞIN (Hall 1)** Optimizing Coupling Coefficients of Materials for Energy Conversion Applications | | | |
| 14:45-14:50 | **Closing remark** | | | |

## 19TH SEPTEMBER, THURSDAY

| | Hall 5 | Hall 6 | Hall 7 |
|---|---|---|---|
| 09:00 - 09:45 | Plenary Talk: **N. SERDAR SARIÇİFTÇİ (Hall 1)** | | |
| | **Nanomaterials-3** | **Nanomaterials-4** | **Composite materials-2** |
| | Session Chair: **S. SARIÇİFTÇİ** | Session Chair: **H. ZAREIE** | Session Chair: **V. BULMUS** |
| 10:00-10:20 | Nanofibrous filtering materials with catalytic activity: Ganna Ungur | Stability of ZnO nanorods coated on the channel wall under continuous flow conditions: **Berrin Ikizler** | A. C. conductivity in modified PMMA-PVC blends: **Vijay V. Soman** |
| 10:20-10:40 | Gold nanorods using as nanosensor for sensing of fe(iii) ions in aqueous: **Dinesh Kumar** | Building multilayers on pulp fibres with cationic and anionic nanofibrilated celluloses: **Sedat Ondaral** | Injection parameters optimization for impact properties of calsium carbonate filled polypropylene homopolymer composite material by experimental desing: **Senol Sahin** |
| 10:40-11:00 | Pressure effect on elastic properties of spherocobaltite - A nanoscale simulation study: **Brahim Khalil Benazzouz** | Electronic structure and NMR study of selected doped and functionalized graphene: **Azita Nouri** | Smc manufacture with advanced reinforcement material: **Mahmut Bingöl** |
| 11:00-11:20 | **Coffee Break** | | |
| 11:20-11:40 | Modified arcan tests for concrete with carbon nano tubes: **Sıddık Şener** | Nanoporous composites for Chromium(VI) recovery from Water: A Kinetic and Thermodynamic Approach: **Elif Aslı Şenyuva** | Barrier properties of PE, PP, ionomer and EVA (nano)composite films: **Dagmar Merinska** |
| 11:40-12:00 | A Monte Carlo study on dose enhancement effect of various paramagnetic nanoshells in brachytherapy: **Toktam Ahmadi Moghaddas** | Fast and economical route to oxides: tio2 nanostructures: **Shah Mohd Ashraf** | Processing of Co-Continuous B4C-Al Composites: **Ayse Kalemtas** |
| 12:00-12:20 | Hydrothermal synthesis of Yb+3 Doped Sb6O13 nanocrystals and their properties: **Elham Ghavidelaghdam** | In Situ Generated Fillers: Morphological Investigation of Poly(MA-alt-α-olefin)(C6-18)/Silica Hybrids: **Deniz Demircan Bozdoğan** | Tribological properties of TiAlCrNbN graded composite coating deposited on AISI H13 steel substrate with pulsed Dc closed field unbalanced magnetron sputtering method: **Levent Kara** |
| 12:20-14:00 | **Lunch Time** | | |
| 14:00-14:45 | Plenary Talk: **TAHİR ÇAĞIN (Hall 1)**<br>Optimizing Coupling Coefficients of Materials for Energy Conversion Applications | | |
| 14:45-14:50 | **Closing remark** | | |

## CONGRESS CHAIR

**Anthony P. F. Turner,** *Linköping University, Sweden*

## EXECUTIVE CHAIRS

**Hisatoshi Kobayashi,** *President, International Association of Advanced Materials, National Institute for Materials Science, Japan*
**Mustafa Güden,** *President, İzmir Institute of Technology, Turkey*
**Ashutosh Tiwari,** *Secretary General, International Association of Advanced Materials, Editor-in-Chief, Advanced Materials Letters, Linköping University, Sweden*

## LOCAL ORGANIZING CHAIR

**Mustafa M. DEMİR,** *Head, Department of Materials Science and Engineering, İzmir Institute of Technology, Turkey*

## MEMBERS

**Ahmet Emin EROĞLU,** *Vice President, İzmir Institute of Technology, Turkey*
**Sedat AKKURT,** *Vice President, İzmir Institute of Technology, Turkey*
**Serdar ÖZÇELİK,** *Dean of Science Faculty, İzmir Institute of Technology, Turkey*
**Funda TIHMINLIOĞLU,** *Dean of Engineering Faculty, İzmir Institute of Technology, Turkey*
**Volga BULMUS ZAREIE,** *Head, Department of Bioengineering and Biotechnology, İzmir Institute of Technology, Turkey*
**Özgenç EBİL,** *Department of Chemical Engineering, İzmir Institute of Technology, Turkey*
**Cem ÇELEBİ,** *Department of Physics, İzmir Institute of Technology, Turkey*
**Muhsin ÇİFTÇİOĞLU,** *Department of Chemical Engineering, İzmir Institute of Technology, Turkey*
**Tuğrul SENGER,** *Graduate Dean, İzmir Institute of Technology, Turkey*
**Özge TUNUSOĞLU,** *İzmir Institute of Technology, Turkey*
**Nesrin Horzum POLAT,** *İzmir Institute of Technology, Turkey*
**Özlem KAP,** *İzmir Institute of Technology, Turkey*
**Onur PARLAK,** *Linköping University, Sweden*

## ADVISORY BOARD and SCIENTIFIC COMMITTEE

**Chad A Ulven,** *North Dakota State University, USA*
**Rolf E Hummel,** *University of Florida, USA*
**Meiping Zhao,** *Peking University, China*
**Jean-Pierre Aimé,** *CNRS - Université Bordeaux, France*
**Xiaolin Wang,** *University of Wollongong, Australia*
**Roy Quinlan,** *University of Durham, UK*
**Atul Parikh,** *University of California-Davis, USA*
**Tetsuji Yamaoka,** *National Cardiovascular Center Research Institute, Japan*
**David Ginley,** *National Renewable Energy Laboratory,USA*
**B. B. Prasad,** *Banaras Hindu University, India*
**Ashok Vijh,** *Institut de Recherche d'Hydro-Québec, Canada*
**Kostya (Ken) Ostrikov,** *CSIRO Materials Science and Engineering, Australia*
**Jianwen Jiang,** *National University of Singapore, Singapore*
**Chong Su Cho,** *Seoul National University, South Korea*
**Alessandro Gandini,** *University of São Paulo in São Carlos, Brazil*
**Manju Misra,** *University of Guelph, Canada*
**S. K. Shukla,** *University of Delhi, India*
**Masoud A. Mehrgardi,** *University of Isfahan, Iran*
**Li-Chyong Chen,** *National Taiwan University, Taiwan*
**Arben Merkoçi,** *Catalan Institute of Nanotechnology, CIN2 (ICN-CSIC), Spain*
**Vandana Singh,** *University of Allahabad, India*
**Mikael Syväjärvi,** *Graphensic AB and Linköping University, Sweden*
**Ben Zhong Tang,** *The Hong Kong University of Science & Technology, Hong Kong*
**Sivakumar Manickam,** *The University of Nottingham Malaysia Campus, Malaysia*
**C. S. Pundir,** *M. D. University, India*
**V. K. Gupta,** *King Fahd University of Petroleum and Minerals, Saudi Arbia*
**Katsuyuki Kida,** *Kyushu University,Japan*
**Ashok K. Sharma,** *DCR University of Science & Technology, India*
**Beate Strehlitz,** *Helmholtz Centre for Environmental Research - UFZ, Germany*
**G. C. Psarras,** *University of Patras, Greece*
**Tomasz Ganicz,** *Centre of Molecular and Macromolecular Studies, Polish Acad. of Sci. Lodz, Poland*
**Shiquan Liu,** *University of Jinan, Jinan, China*
**Prof. Anatolii D. Pomogailo,** *Institute of Problems of Chemical Physics, Russian Academy of Sciences, Russia*
**Stoyko Fakirov,** *University of Auckland, New Zealand*
**H. C. Swart,** *University of the Free State, Republic of South Africa*
**Gehanne Abdel Samie Awad,** *Ain shams University, Egypt*
**Gamal A-H Mostafa,** *King Saud University, Saudi Arabia*
**S. J. Dhoble,** *RTM Nagpur University, India*
**Maamar Benkraouda,** *United Arab Emirates University, United Arab Emirates*
**Pang Suh Cem,** *University Malaysia Sarawak, Malaysia*
**Ashutosh Sharma,** *Indian Institute of Technology Kanpur, India*
**Dr. Atul Tiwari,** *University of Hawaii, USA*
**Avinash C. Pandey,** *Bundelkhand University, India*
**Dr. Yogendra K. Mishra,** *Institute for Materials Science, CAU Kiel, Germany*
**R. N. P. Choudhary,** *Institute of Technical Education and Research SOA University, India*
**Madeleine du Toit,** *University of Pretoria, South Africa*
**Klaus Mosbach,** *Swiss Federal Institute of Technology, Switzerland/ Lund University, Sweden*
**Burak Erman,** *Koç University, Turkey*
**Levent Demirel,** *Koç University, Turkey*
**Yusuf Menceloğlu,** *Sabancı University, Turkey*



PEER REVIEWED BOOK

# Advanced Materials

## World Congress

**September 16-19, 2013** | Çeşme Altın Yunus - İzmir, TURKEY

www.amwc2013.org

**ISBN:** 978-81-920068-3-16
**eISBN:** 978-81-920068-3-25
**DOI:** 10.5185/am13.ab-2013

IAAM International Association of Advanced Materials

İZMİR YÜKSEK TEKNOLOJİ ENSTİTÜSÜ